

	Hits	Search Text	DBs
1	6477	709/203.ccls. 709/226.ccls. 709/233.ccls.	US-PGPUB; USPAT
2	22670	web adj server or server adj farm	US-PGPUB; USPAT
3	3480	NAS(network?attached adj storage) and redirect\$3	US-PGPUB; USPAT
4	4658	criteria and evaluat\$3 adj criteria	US-PGPUB; USPAT
5	2039	S1 and S2	US-PGPUB; USPAT
6	0	S6 and S4	US-PGPUB; USPAT
7	39	S5 and S3	US-PGPUB; USPAT
8	7729	709/203.ccls. 709/226.ccls. 709/233.ccls. 709/201.ccls.	US-PGPUB; USPAT
9	2236	S8 and S2	US-PGPUB; USPAT
10	46	S9 and S3	US-PGPUB; USPAT
11	649074	S9 and criteria or preference\$2 or parameters	US-PGPUB; USPAT
12	29	S9 and (evaluat\$3 near3 (criteria or parameter))	US-PGPUB; USPAT
13	4827	709/203.ccls.	US-PGPUB; USPAT
14	72820	(evaluate or process\$4) near3 (criteria or parameters or specificaation\$2)	US-PGPUB; USPAT
15	274	S13 and S14	US-PGPUB; USPAT
16	0	S15 and network?attached adj storage adj system	US-PGPUB; USPAT
17	0	S15 and network?attached adj storage	US-PGPUB; USPAT
18	19	S15 and storage adj system	US-PGPUB; USPAT
19	53	serv\$3 adj objects and storage adj system	USPAT
20	26	S19 and criteria	USPAT
21	21	S1 and S4	US-PGPUB; USPAT
22	119	S3 and S1	US-PGPUB; USPAT
23	73656	inform\$5 near3 sender or client	US-PGPUB; USPAT
24	6068	S23 and establish near3 connection	US-PGPUB; USPAT
25	20	S24 and serving near3 object	US-PGPUB; USPAT
26	0	(predefined adj criteria) same (size and (nam\$3 adj extension) and (name near2 content))	US-PGPUB; USPAT; DERWENT; IBM_TDB
27	271	(predefined adj criteria).ab.	US-PGPUB; USPAT; DERWENT; IBM_TDB

	Hits	Search Text	DBs
28	47	(S27 and compar\$3).ab.	US-PGPUB; USPAT; DERWENT; IBM_TDB
29	16	(predefined adj criteria) near3 size	US-PGPUB; USPAT; DERWENT; IBM_TDB
30	678	criteria and (object near4 size) and extension	US-PGPUB; USPAT; DERWENT; IBM_TDB
31	116	S30 and object near2 name	US-PGPUB; USPAT; DERWENT; IBM_TDB
32	39	S31 and administrator	US-PGPUB; USPAT; DERWENT; IBM_TDB
33	77	(administrator same specif\$4 ) near3 number	US-PGPUB; USPAT; DERWENT; IBM_TDB
34	1	S33 and (compar\$3 same size near5 number)	US-PGPUB; USPAT; DERWENT; IBM_TDB
35	6	S33 and (compar\$3 same size)	US-PGPUB; USPAT; DERWENT; IBM_TDB
36	1	(redirect adj link) same (manually near3 created)	US-PGPUB; USPAT; DERWENT; IBM_TDB
37	1	(redirect adj link) and (manually near3 created)	US-PGPUB; USPAT; DERWENT; IBM_TDB
38	29	(redirect adj link)	US-PGPUB; USPAT; DERWENT; IBM_TDB
39	1	(redirect adj link).ab.	US-PGPUB; USPAT; DERWENT; IBM_TDB
40	2	content same (redirect adj link)	US-PGPUB; USPAT; DERWENT; IBM_TDB
41	3	compar\$3 near3 content adj name	US-PGPUB; USPAT; DERWENT; IBM_TDB
42	29291	(object or content adj name) near3 (specif\$3 near2 administrator or user)	US-PGPUB; USPAT; DERWENT; IBM_TDB
43	20068	(object or content adj name) near2 (specif\$3 near2 administrator or user)	US-PGPUB; USPAT; DERWENT; IBM_TDB
44	15	(object or content adj name) near2 (specif\$3 near2 administrator)	US-PGPUB; USPAT; DERWENT; IBM_TDB
45	1	"6611866".pn.	US-PGPUB; USPAT
46	1	"5559955".pn.	US-PGPUB; USPAT
47	498761	compare\$1 same name or extension or type and specif\$4 near4 administrator	US-PGPUB; USPAT
48	116	S47 and static\$5 adj2 specif\$3	US-PGPUB; USPAT
49	46	S48 and ((configuration or user) adj interface)	US-PGPUB; USPAT

	Hits	Search Text	DBs
50	515	(compare\$1 same (name or extension or type)) and specif\$4 near4 administrator	US-PGPUB; USPAT
51	10	S50 and static\$5 adj2 specif\$4	US-PGPUB; USPAT
52	43	S50 and @py<"2000"	US-PGPUB; USPAT
53	22	(delay\$3 near3 ((transmi\$5 or serv\$3)) adj2 content)	US-PGPUB; USPAT; DERWENT; IBM_TDB
54	1	(delay\$3 same (transm\$5 or serv\$3) same execut\$3 same decision).ab.	US-PGPUB; USPAT; DERWENT; IBM_TDB
55	205	(delay\$3 same (transm\$5 or serv\$3) same execut\$3 same decision)	US-PGPUB; USPAT; DERWENT; IBM_TDB
56	132	S55 and storage	US-PGPUB; USPAT; DERWENT; IBM_TDB
57	8	S56 and redirect	US-PGPUB; USPAT; DERWENT; IBM_TDB